(Sri K. V. SHANKARA GOWDA)

As regards Secondary Schools information will be furnished in due course.

(*b*) Due to the delay in answering objections and correcting defects.

(*c*) If on investigation negligence of any officers is found, necessary action will be taken to punish them for negligence.

ಶ್ರೀ ವಿ. ಎಸ್. ಶಿವಪ್ಪ.—ಈ ಒಂದು ತಿಂಗಳ್ಲಿ ಏನೋ ಒದಗಿಸಿದ್ದೀರಿ. 6 ವರ್ಷದಿಂದ ಕಡಮೆ ಸಂಬಳ ಬರತಕ್ಕ ಪ್ರಾಥಮಿಕ ಶಾಲೆ ಮತ್ತು ಮಾಧ್ಯಮಿಕ ಶಾಲೆ ಉಪಾಧ್ಯಾಯರಿಗೆ ಡಿ. ಎ. ಕೊಟ್ಟಿಲ್ಲ. 26 ಸಾವಿರ ಟಿಲ್ಲರೆ ಟಿ. ಎ. ಮಸ್ತು ಡಿ. ಎ. ನಿಂತು ಹೋಗಿದೆ. ಅವರು 6 ವರ್ಷಗಳಿಂದಲೂ ತೊಂದರೆಗೆ ಈಡಾಗಿದ್ದಾರೆ. ಅದುದರಿಂದ ಈ ಬಡವರಿಗೆ ರಕ್ಷಣೆ ಇಲ್ಲವೇ ಸ್ವಾಮಿ ?

ಶ್ರೀ ಕೆ. ವಿ. ಶಂಕರಗೌಡ.—ಯಾರು ಡಿ. ಎ. ಕ್ಲೇಮ್ ಮಾಡಿದ್ದಾರೆ ಅವರೇ ಸರಿಯಾದ ಮಾಹಿತಿ ಕೊಟ್ಟಿಲ್ಲ. ಈ ರೀತಿ ಅವರೇ ಮಾಡಿದರೆ ನಿಧಾನಕ್ಕೆ ಅವರ ತಪ್ಪೇ ಹೊರತು ಸರ್ಕಾರದ ತಪ್ಪಲ್ಲ.

ಶ್ರೀ ಎಸ್. ಬಂಗಾರಪ್ಪ.—1966-67 ರಲ್ಲಿ ಟಿ. ಎ. ಮತ್ತು ಡಿ. ಎ. ಪೆಂಡಿಂಗ್ ಇರುವ ಲಿಸ್ಟನ್ನು ಕೊಟ್ಟಿದ್ದೀರಿ. ಸರಿಯಾದ ಮಾಹಿತಿ ಕೊಡುವುದಕ್ಕೆ ಇಷ್ಟು ದಿವಸ ಆಗಿದೆ ಎನ್ನುವ ಭಾವನೆ ಮಾಡುವುದಕ್ಕೆ ಸಾಧ್ಯವೇ ಎನ್ನುವ ಅನುಮಾನ ಬರುತ್ತದೆ. ಅದುದರಿಂದ ಟಿ. ಎ. ಮತ್ತು ಡಿ. ಎ. ಕ್ಲೇಮ್ ಮಾಡುವ ಕೆಲಸ ಇಲಾಖೆಯಲ್ಲಿ ನಿಧಾನವಾಗುತ್ತಿದೆ. ಅದನ್ನು ಸರಿಪಡಿಸುತ್ತೀರಾ ?

ಶ್ರೀ ಕೆ. ವಿ. ಶಂಕರಗೌಡ.—ಟಿ. ಎ., ಡಿ. ಎ. ಕ್ಲೈಮ್ ಮಾಡಬೇಕು. ಸರಿಯಾದ ಮಾಹಿತಿ ಇರಬೇಕು. ಅದನ್ನು ಮಾಡಲಾರದೇ ಇರುವುದರಿಂದ ನಿಧಾನವಾಗಿದೆ.

Cauvery Water Supply Scheme

565. Sri C. K. RAJAIAH SHETTY (Chicknayakanahalli).—

Will the Minister for Home and Municipal Administration be pleased to state :—

(*a*) the cost of Cauvery Water Supply Scheme for Bangalore ;

(*b*) the expenditure so far incurred for Survey and Administration up to 1-12-1967 ;

(*c*) who has met the expenditure, the Water Supply Board or Government ?

A.—Sri R. M. PATIL (Minister for Home and Municipal Administration).—

(*a*) Rs. 22.32 Crores.

(*b*) The expenditure on the works connected with the several works taken up so far is Rs. 2.96 Crores.

(*c*) The expenditure so far incurred has been met out of the loan sanctioned by the State Government.

Sri C. K. RAJAIAH SHETTY.—With reference to answer (b) it has been stated that Rs. 2.96 crores have been incurred. May I know the major break-up ?

Sri R. M. PATIL.—Major break-ups are not given in detail. But generally as I have stated earlier in reply to Mr. Shamanna's question, several preliminary works connected with the scheme and also construction of quarters, at Thorekadanahalli, remodelling of distribution system and underground sewerage at several areas in Bangalore have been taken up. This is the work that has been done.

Sri C. K. RAJAIAH SHETTY.—Is it a fact that most of the Engineering staff there is simply wasting its time without enough work and without provision of enough funds ? Supervisors, Assistant Engineers and the Executive Engineer have no work because the Government is not definite of having any scheme.

Sri R. M. PATIL.—It is not correct to say like that. I have made enquiries and they have work.

Sri C. K. RAJAIAH SHETTY.—What is the work that has been turned out since the last 6 months ?

Sri R. M. PATIL.—That is what they are doing.

Construction of Bridge and Causeway

566. Sri H. D. DEVE GOWDA (Holenarsipur).—

Will the Minister for Public Works be pleased to state :—

(*a*) whether it has come to the notice of the Governmnet that estimate for construction of a bridge at Sigarnahalli and another causeway at Beeranahalli on Halekote-Doddakuncha road in Holenarsipur Taluk were prepared, if so, the amount of each estimate ;

(*b*) whether Government would take steps to sanction the estimate this year ?

A.—Sri VEERENDRA PATIL (Minister for Public Works).—

(*a*) Estimates have been prepared by the department, as indicated below :—

(1) Culvert at Sigaranahalli... ... ... Rs. 25,000.
(2) Low Level Causeway near Beerahalli Rs. 35,000.

(*b*) This will be examined subject to availability of funds.

ಶ್ರೀ ಎಚ್. ಡಿ. ದೇವೇಗೌಡ.—ಉತ್ತರದಲ್ಲಿ ಅಂದಾಜನ್ನು ತಯಾರಿಸಲಾಗುತ್ತಿದೆ ಎಂದು ಹೇಳಿದ್ದಾರೆ. ಅಲ್ಲಿ ರಸ್ತೆ ಕೆಲಸ ಮಟಲಿಂಗ್ ಇದರಾ ಪೂರ್ತಿಯಾಗಿದೆ. ಆದರೆ ಅಲ್ಲಿ ಈ ಎರಡು ಸೇತುವೆಗಳ ಕೆಲಸವಾಗದೆ ವಾಹನ ಸಂಚಾರ್ಯಕ್ಕೆ ಬಹಳ ತೊಂದರೆ ಆಗಿದೆ. ಆದುದರಿಂದ ಇದನ್ನು ಬೇಗ ಪ್ರಾರಂಭಿಸಿ ಕೆಲಸವನ್ನು ಮುಗಿಸುವುದಕ್ಕೆ ಪ್ರಯತ್ನಮಾಡುತ್ತಾರೆಯೇ ?

ಶ್ರೀ ವೀರೇಂದ್ರ ಪಾಟೀಲ್.—ಇದು ಪಿ. ಡಬ್ಲ್ಯೂ. ಡಿ. ರಸ್ತೆ. ನಾನು ಈ ವಿಚಾರದಲ್ಲಿ ಚೀಫ್ ಇಂಜಿನಿಯರ್‌ಗೆ ಬೇಕಾದರೆ ಬರೆಯುತ್ತೇನೆ. ಖಚಿತವಾಗಿ ಯಾವುದನ್ನೂ ಹೇಳಲಾರೆ.